

PROTÉGÉ™

PORTABLE MULTI-GAS MONITOR



SCOTT
HEALTH & SAFETY



BUILT TOUGH. AND EASY

PROTÉGÉ™ MULTI-GAS MONITOR.

The first portable gas monitor to be UL 913 7th edition certified.

Protégé monitor meets all major global regulatory requirements, performs across multiple applications and facilitates protecting the overall safety of workers in hazardous environments.

When you've been protecting lives as long as we have, absolute confidence comes standard.

The Scott name is synonymous with trustworthy protection in the most hazardous environments. The Protégé™ multi-gas monitor is no different. Like our complete line of personal safety equipment, the Protégé monitor is simple to use and incredibly durable, giving industrial workers and first responders alike the confidence to focus on the task at hand. The Protégé monitor is easy to handle in any situation. An intuitive user interface and simple two-button operation make calibration and basic operation virtually thought-free. Protégé software, compatible with Windows®, gives administrators the ability to quickly adjust monitor configurations. Its robust construction survives drops while being dust-tight and immersion-resistant. That's why those in charge of worker safety from hazardous gases are completing their safety checklist with yet another tool from Scott.

Attachable steel

Certified UL 913, 2006, and IP 67

Lightweight: only

All-day ease-of-use, from charge-up to power-down.

The Scott Protégé multi-gas monitor is remarkably easy to use, with intuitive features that help users focus on critical situations rather than their equipment. It features automatic calibration and simple PC configuration—along with any-button on and two-button off functions. With Masterdock, calibration is a one-touch operation, facilitating easy maintenance. With a small size, 7.5 oz. weight and unique hourglass shape, the Protégé monitor is the only portable gas instrument that fits in the palm of your hand. The bright LCD display and wide-angle alarm bars are clearly visible from all positions. And the intelligent memory captures 7,000 significant events for complete analysis of information while enabling users and administrators to focus on the most pertinent information.

Automatic span

One

Tougher than the rest.

Its toughness and durability are best-in-class for portable gas monitors. Protection against the intrusion of solid foreign bodies is as good as it gets: dust-tight. And its rating for protection against moisture covers everything from rain to total immersion. With performance levels like these, the Protégé monitor gives you the confidence to do the job right, in ever-harsher environments.



TO USE.

HANDHELD CONFIDENCE.

by a stainless
alligator clip

7th ed.
Rated

7.5 oz.

calibration

-hand operation



ACTUAL SIZE

Concentrate on your work, not maintaining your equipment.

The Protégé monitor's simple design reduces overall training requirements. Zero-calibration and span-calibration are automatic—no need to remember set points or concern yourself with manual adjustments.



*Pictured with optional
slip-on pump and
12-inch probe*

*Continuous readout of gas
concentrations*

*Records STEL/TWA alarms,
calibrations and gas values
with date and time stamps*

*Downloadable data log for
up to 7,000 events*

*Audible, visible,
and tactile alarms*

Automatic zero calibration



**Protégé
Masterdock**



Protégé Multi-Charger



AN ARRAY OF COMPONENTS AND ACCESSORIES

- AC power adapter
- 12-volt car charger
- Optional slip-on pump with:
12-inch probe,
10-foot tubing
- Protégé Multi-Charger
- Protégé Masterdock

CD-based configuration
software, quick user guide,
owner's manual and interactive
user training

PROTÉGÉ SOFTWARE ENABLES CUSTOM CONFIGURATIONS

- Alarm set points
- Backlight timer
- Calibration due dates
- No push-button navigation
- No unauthorized changes
- Log archiving in simple
Excel® format
- For Windows 2000, XP, Vista®



Since we developed the first Air-Pak® SCBA in 1945, the Scott name has stood for unquestioned quality when safety is critical. First responders and safety specialists in dozens of industries rely on Scott's attention to detail, fail-safe measures, attentive service and constant innovation. The Protégé, our newest personal multi-gas monitor, is no different. After all, it's from Scott.

SPECIFICATIONS & ORDERING INFORMATION

PROTÉGÉ™ PORTABLE MULTI-GAS MONITOR

Product Specifications

Dimensions

3.26"h x 2.76"w x 1.16"d

Weight

7.5 oz.

Housing

ABS/rubber over mold

Calibration

Automatic calibration and zero

Sensors

CO: 0 to 999 ppm

H₂S: 0 to 500 ppm

O₂: 0-25%

Combustible: 0-80% LEL

Battery

Lithium ion rechargeable

Approximate five-hour charge time

Battery life (no pump): 18 hours

Battery life (with pump): 12 hours

Alarms

Audible: 90 dB at 6 inches

Visual: Wide-angle dual red alarm bars

Tactile

Operating temperature

-4°F to 122°F (-20°C to 50°C)

Operating Humidity

0%-95% RH

EMI/RFI

EMC 89/336/EEC compliant

Protégé Monitor Kits

Includes gas monitor, charger, torx tool, manual, CD with PC software, USB cable and calibration adapter.

Part Number	Description
PRO-112212	O ₂ /LEL/CO/H ₂ S Gas Monitor Kit
PRO-212212	O ₂ /LEL/CO Gas Monitor Kit
PRO-312212	O ₂ /LEL/H ₂ S Gas Monitor Kit
PRO-412212	O ₂ /LEL Gas Monitor Kit
PRO-512212	LEL Gas Monitor Kit

Confined Space Kits

Includes all the items above, plus pump, probe, tubing and calibration kit in a foam lined carrying case.

Part Number	Description
PRO-111111	O ₂ /LEL/CO/H ₂ S Confined Space Kit
PRO-211111	O ₂ /LEL/CO Confined Space Kit
PRO-311111	O ₂ /LEL/H ₂ S Confined Space Kit
PRO-411111	O ₂ /LEL Confined Space Kit

Protégé Monitor Accessories

Part Number	Description
093-0526	Masterdock—automated bump test and calibration station, AC or battery powered. (Utilizes 103L 6D or 58L 8AL or 34L 2AL cylinder.)
096-3271	Pump Kit (Pump, Probe, Tubing)
096-3283-1	Six Unit Multi-Charger US
096-3283-2	Six Unit Multi-Charger UK, Hong Kong & Singapore
096-3283-3	Six Unit Multi-Charger Europe & South America
096-3283-4	Six Unit Multi-Charger Asia & Australia

Approvals:

UL: Class 1, Div 1 Groups A,B,C,D T4, CSA*: Class 1, Div 1 Groups A,B,C,D T4, ATEX: Ex d ia IIC T4, Australia: Ex d ia IIC T4,

IP 67 Rated: 3rd-party tested for compliance, EMC: EMC Directive (2004/108/EC) CE Mark

*Approval Pending

Microsoft, Excel, Windows and Windows Vista are registered trademarks of Microsoft Corporation in the United States and/or other countries.

Scott Health & Safety is a global business unit of Tyco International that supplies a variety of industries through manufacturing facilities located in the United States, United Kingdom, Asia, Finland, and Australia.

Monroe Corporate Center • P.O. Box 569 • Monroe, NC 28111 • Telephone: 800.247.7257 • Facsimile: 704.291.8330
www.scotthealthsafety.com • sh-sale@tycoint.com

H/S 6763B 10/09 ISO 9001 Registered. All rights reserved.

SCOTT
HEALTH & SAFETY