


Universe	Professional
Type	Verticality
Category	Lanyards and energy absorbers
Subcategory	Tree care lanyards



ZILLON

The ZILLON work positioning lanyard for tree care adjusts easily with only one hand, even when loaded. It is designed for use in double mode on the harness side attachment points, or in single mode on the ventral attachment point with the hand on the free end. Yellow color for excellent visibility.



Easily adjusted with one hand thanks to the progressive locking/unlocking action of the device.



Pulley mounted on sealed ball bearings allows slack to be taken up easily.

Short Description Adjustable work positioning lanyard for tree care

Selling Points

- Designed for use in double mode on the harness lateral attachment points, or in single mode on the ventral attachment point with the hand on the free end
- Simple to use, and effective:
 - easily adjustable when loaded. It is easily adjusted with one hand, thanks to the progressive locking/unlocking action of the device.
 - flexible rope guarantees good fluidity, yellow color gives excellent visibility
 - pulley mounted on sealed ball bearings to allow slack to be taken up easily
- Optimized lifetime:
 - steel friction elements limit wear
 - replacement rope available
- Available in three lengths: 2.5, 4 and 5.5 m

Specification

- Material(s): stainless steel, aluminum, plastic, polyester
 - Certification(s): CE EN 358
-

Specifications by reference

Reference(s)	L22A 025	L22A 040	L22A 055
Length	2,5 m	4 m	5,5 m
Weight	570 g	735 g	900 g
Made in	FR	FR	FR
Guarantee	3 years	3 years	3 years
Packing	1	1	1
Case quantity	10	10	6
EAN	3342540103498	3342540103504	3342540103481

Spare part(s) Replacement rope for ZILLON

Related product(s) SEQUOIA
SEQUOIA SRT
Am'D