V-Gard® H1 Safety Helmet





The V-Gard® H1 Safety Helmet and accessories provide exceptional comfort and ease of use in a stylish, low-profile design. The latest innovation in head protection, helping to keep you cool and comfortable until the job is done.



Features

- Fas-Trac® III Pivot Ratchet Suspension for superior comfort, adjustability, and range of motion.
- Non-contact foam liner maximizes air flow and breathability for optimal cooling and hygiene.
- Non-vented option for use in electrical applications.
- · Vented options for optimal air flow and cooling.
- Field replaceable 4-point chinstraps with multiple adjustment points for customized fit and comfort.
- Premium moisture wicking headband with breathable foam and hook and loop attachment for easy field replacement.
- Patent-pending "push-button" accessory attachment rail and universal clips for head lamps enables quick installation and removal, with no need for an additional carrier.
- · Low profile design, even with a visor or spectacles attached.
- Convenient rescue whistle integrated into the chin strap buckle.
- · Matte finish shell.
- · Standard reflective stickers.
- Optional logo customisation in up to 3 locations.

 Markets
 Utilities; oil, gas, and petrochemical; general industry;

 construction

 Application
 General industry, construction, working-at-heights,

Shell Material Styles HDPE (high-density polyethylene)

Styles Trivent, Novent, Bivent

..... confined space, rescue

Colors

Standards..... See chart on page 3

Ordering Information

Color	Novent EN 397:2012 UNVENTED	Bivent EN 397:2012 VENTED	Trivent EN 12492:2012 VENTED	
WHITE	10194791	10212394	10194783	
RED	10194792	10212395	10194784	
BLUE	10194793	10212396	10194785	
GREEN	10194794	10212397	10194786	
YELLOW	10194795	10212398	10194787	
HI-VIZ YELLOW GREEN	10194796	10212399	10194788	
ORANGE	10194797	10212400	10194789	
BLACK	10194798	10212401	10194790	
GRAY	10204347	10212402	10204346	

All V-Gard H1 Safety Helmet models include a Fas-Trac III Pivot Ratchet Suspension, reflective stickers and a chinstrap.









V-Gard H1 Trivent Safety Helmet




Optional logo customisation in up to 3 locations



Standards Information

Standard	Aspect	Novent	Bivent	Trivent
EN 397:2012 + A1:2012	-30°C (Low Temperature)			
INDUSTRIAL SAFETY HELMETS	440V AC (electrical insulation)			
EN 50365:2002 (1000V A.C.) ELECTRICALLY INSULATING HELMETS FOR USE ON LOW VOLTAGE INSTALLATIONS	_	•		
EN 12492:2012 MOUNTAINEERING EQUIPMENT	_			
ANSI/ISEA Z89.1-2014 TYPE 1	Class C (Conductive 0 V AC)			
TIPET	Class E (20,000 V AC)			
	-22°F (-30°C)(Low Temperature)			
	$140^{\circ}\text{F} \pm 3.6^{\circ}\text{F} \text{ (60°C} \pm 2^{\circ}\text{C)(Higher Temperature)}$			
CSA/CAN Z94.1-15	Class C (Conductive 0 V AC)			
TYPE 1	Class E (20,000 V AC)			

Accessories



**EN 166

- 1 Optical class
- B Medium energy impact
- T Resistance at high speed particles at extremes of temperature
- 3 Splashes of liquids
- 9 Molten metal and hot solids
- S Increased robustness for metal face shields

*ANSI Z87

- + Impact-rated; important disctinction between clear & mesh options
- D3 Splash-rated; important distinction between face shield and half-face spec





V-Gard H1 Safety Helmet with Spectacles



V-Gard H1 Safety Helmet with Clear Face Shield



V-Gard H1 Safety Helmet with Mesh Face Shield

Fas-Trac III Pivot Suspension & Replacement Parts

Part No.	Product Specifics
10194760	V-Gard H1 Replacement Suspension Assembly, Fas-Trac III Pivot
10194761	V-Gard H1 Replacement Sweatband, Fas-Trac III Pivot, 3 pack
10194765	V-Gard H1 Replacement Chin Strap, Trivent (EN12492 : 2012)
10194766	V-Gard H1 Replacement Chin Strap, Novent (EN397 : 2012)

Note: This Bulletin contains only a general description of the products shown. While product uses and performance capabilities are generally described, the products shall not, under any circumstances, be used by untrained or unqualified individuals. The products shall not be used until the product instructions/user manual, which contains detailed information concerning the proper use and care of the products, including any warnings or cautions, have been thoroughly read and understood. Specifications are subject to change without prior notice.

MSA operates in over 40 countries worldwide. To find an MSA office near you, please visit **https://gb.msasafety.com/contact-us**.